

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) ~~Method~~ A method for the conversion of cytosine bases in a ~~single-stranded nucleic acid~~ to uracil bases, comprising:
 - a) directly binding the nucleic acid to a solid phase,
 - b) incubating the solid phase bound nucleic acid in the presence of sulfite ions whereby the nucleic acid is deaminated, yielding a solid phase bound deaminated nucleic acid,
 - c) optionally washing the solid phase bound deaminated nucleic acid,
 - d) incubating the solid phase bound deaminated nucleic acid under alkaline conditions whereby the deaminated nucleic acid is desulfonated,
 - e) optionally washing the solid phase bound deaminated and desulfonated nucleic acid, and
 - f) optionally eluting the deaminated and desulfonated nucleic acid from the solid phase.
2. (Canceled)
3. (Currently Amended) ~~Method~~ A method for conversion of cytosine bases in a ~~single-stranded nucleic acid~~ to uracil bases comprising:
 - a) binding the nucleic acid to a solid phase,
 - b) incubating the solid phase bound nucleic acid in the presence of sulfite ions whereby the nucleic acid is deaminated, yielding a solid phase bound deaminated nucleic acid,
 - c) optionally washing the solid phase bound deaminated nucleic acid,

d) eluting the deaminated nucleic acid from the solid phase,
e) incubating the deaminated nucleic acid under alkaline conditions
whereby the deaminated nucleic acid is desulfonated.

4. (Previously Presented) The method according to claim 1 or claim 3
characterized in that the solid phase is a material comprising silica or glass.

5. (Original) The method according to claim 4 wherein the solid phase is a
glass fleece or a glass membrane.

6. (Original) The method according to claim 4 wherein the solid phase is a
magnetic glass particle.

7. (Original) The method according to claim 6 wherein the magnetic glass
particle has a mean diameter between 0.5 μm and 5 μm .

8. (Original) The method according to claim 6 wherein the magnetic glass
particle contains a magnetic object with a diameter between 5 and 500 nm.

9. (Original) The method according to claim 6 wherein the magnetic glass
particle contains a magnetic object with a mean diameter of 23 nm.

10. (Original) The method according to claim 6 wherein the magnetic glass
particle is manufactured by the sol-gel method.

11. (Original) The method according to claim 10, wherein said sol-gel
method comprises:

- a) suspending magnetic objects in a sol,
- b) hydrolyzing the sol to cover the magnetic objects with a gel,

c) spray-drying the magnetic objects covered with a gel in a two-nozzle spray-drier, and

d) sintering the spray-dried powder to form a glass from the gel covering the magnetic objects.

12.-15. (Canceled)